

EU Safety Data Sheet

LEGEND 4T SAE 50



Date of issue / Reference	22.11.2008	mku		
Replaces version of	10.03.2006	os		
Date of printing	04.03.2009	Sheet No. 506	Version 1	Page 1 of 5
	Edited		Deleted	

Company	BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Switzerland
---------	---

1 Commercial product name and supplier

- | | | |
|-----|---------------------------------------|---|
| 1.1 | Commercial product name / Designation | LEGEND 4T SAE 50 |
| 1.2 | Application / Use | Engine Oil |
| 1.3 | Producer | BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Schweiz, T. +41 (0)62 919 7575
Auskunft zum Sicherheitsdatenblatt: msds@motorex.com
Importeur EU: MOTOREX Deutschland AG, Mathysstrasse 20, D-76133 Karlsruhe |
| | Supplier | BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Schweiz, T. +41 (0)62 919 7575 |
| 1.4 | TOX emergency number
Public | Toxicological Information Centre, CH-8028 Zurich, E-mail: info@toxi.ch, T. +41 (0)44 251 51 51 |
| 1.5 | Product No. | |

2 Hazards identification

No known hazard.

3 Composition

- | | | |
|-----|---------------------------|---|
| 3.1 | Chemical characterization | Mineral oil, paraffinic
Additives |
| 3.2 | Hazardous components | Does not contain any dangerous substances according to the criteria of the EC (Council Directive 88/379/EEC).

CAS No. 68649-42-3 Zinc dialkyl dithiophosphate
EINECS/ELINCS No.: 272-028-3
Xi: Irritant. N: Dangerous for the environment. R41: Risk of serious damage to eyes.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Alkylated phenol
Xn: Harmful. N: Dangerous for the environment. R38: Irritating to skin. R62: Possible risk of impaired fertility. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| 3.3 | Further information | |

4 First aid measures

- | | | |
|-----|-------------|--|
| 4.1 | Eye contact | Flush with plenty of water.
Consult a physician if irritation develops. |
|-----|-------------|--|

EU Safety Data Sheet

LEGEND 4T SAE 50



Date of issue / Reference	22.11.2008	mku		
Replaces version of	10.03.2006	os		
Date of printing	04.03.2009	Sheet No. 506	Version 1	Page 2 of 5
	Edited		Deleted	

-
- | | | |
|-----|---------------------|--|
| 4.2 | Skin contact | Remove contaminated clothing immediately.
Remove residues with soap and water. |
| 4.3 | Ingestion | Do not induce vomiting. Do not take in resorption stimulating agents.
Consult a physician who will decide on need and method of emptying the stomach. |
| 4.4 | Inhalation | Take into fresh air.
If respiratory irritation is experienced, call a physician. |
| 4.5 | Further information | |

5 Fire-fighting measures

- | | | |
|-----|------------------------------|--|
| 5.1 | Suitable extinguishing media | Water fog, carbon dioxide, foam, dry chemicals. |
| 5.2 | Extinguishing media to avoid | None known. |
| 5.3 | Further information | In case of fire carbon, sulphur and nitrogen oxides can be formed. |

6 Accidental release measures

Do not wash into sewers or into any body of water.
Spills should be contained by, and covered with suitable absorbent material and removed for disposal.

7 Handling and storage

- | | | |
|-----|--------------------------------|--|
| 7.1 | Handling | Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap. |
| 7.2 | Industrial hygiene | Follow safety precautions for handling of mineral oils. |
| 7.3 | Storage | Follow regulations for storage of water hazing products. |
| 7.4 | Place of storage | |
| 7.5 | Fire- and explosion-protection | Do not heat above flash point. |

8 Exposure controls / Personal protection

- | | | |
|-------|--------------------------------|--|
| 8.1 | Exposure controls | No specific requirements. |
| 8.2 | Exposure limit values | None established for the mixture. |
| 8.3 | Occupational exposure controls | |
| 8.3.1 | Respiratory protection | Good general ventilation should be sufficient for most conditions. |
| 8.3.2 | Hand protection | Use impervious gloves when prolonged or frequently repeated |

EU Safety Data Sheet

LEGEND 4T SAE 50



Date of issue / Reference	22.11.2008	mku		
Replaces version of	10.03.2006	os		
Date of printing	04.03.2009	Sheet No. 506	Version 1	Page 3 of 5
	Edited		Deleted	

contact could occur.

8.3.3 Eye protection If contact with the product is possible, an eye protector is recommended.

8.3.4 Other None.

8.4 Environmental exposure controls

9 Physical and chemical properties

9.1 Appearance	liquid	
9.2 Colour	brown	
9.3 Odour	characteristic	
9.4 Change of physical state		Test method:
9.5 Density	0.9 g/cm ³ (20°C)	ASTM D 4052
9.6 Vapour pressure		
9.7 Viscosity	230 mm ² /s (40°C)	DIN 51562-1
9.8 Solubility in water	immiscible	
9.9 pH	not applicable	
9.10 Flash point	> 200 °C (1013 mbar)	DIN EN ISO 2592
9.11 Ignition temperature		
9.12 Explosion limits	Lower: Upper:	
9.13 Further information Part. coeff. n-octanol/water Evaporat. rate		

10 Stability and reactivity

10.1 Thermal decomposition	Is stable under normal storage conditions.
10.2 Hazardous decomposition products	None under normal conditions of storage and use.
10.3 Conditions / materials to avoid	No hazards known.
10.4 Further information	

EU Safety Data Sheet

LEGEND 4T SAE 50



Date of issue / Reference	22.11.2008	mku		
Replaces version of	10.03.2006	os		
Date of printing	04.03.2009	Sheet No. 506	Version 1	Page 4 of 5
	Edited		Deleted	

11 Toxicological information

- 11.1 Acute toxicity No adverse effects anticipated by this route of exposure incidental to proper handling.
The estimated oral LD50 for rats is >2000 mg/kg.
- 11.2 Subacute / Chronic toxicity
- 11.3 Further information

12 Ecological information

- 12.1 Ecotoxicity
- 12.2 Mobility
- 12.3 Persistence and degradability
- 12.4 Bioaccumulative potential
- 12.5 Further information Water Hazard Class (Germany): Class 2 (self assessment): hazardous for water.

13 Disposal considerations

- Comply with local and national regulations.
- 13.1 EU/CH waste key 13 02 05 non chlorinated machine, gear and lubricating oils based on mineral oil

14 Transport information

- 14.1 Transport at land
- | | |
|----------------------|---------------|
| ADR | RID |
| UN Number | Kemler Number |
| Packing Group | |
| Proper shipping name | |
- 14.2 Transport at sea
- | | |
|----------------------|------|
| ADNR | IMDG |
| UN Number | |
| EMS | MFAG |
| Packing Group | |
| Proper shipping name | |
| Marine pollutant | |

EU Safety Data Sheet

LEGEND 4T SAE 50



Date of issue / Reference	22.11.2008	mku		
Replaces version of	10.03.2006	os		
Date of printing	04.03.2009	Sheet No. 506	Version 1	Page 5 of 5
	Edited		Deleted	

14.3 Air transport

ICAO / IATA-DGR
UN Number
Proper shipping name
Subsidiary Risk
Labels
Packing Group
Passenger airplane Packing Instructions
max.
Cargo Airplane Packing Instructions
max.

14.4 Further information Product is not classified for any mode of transportation.

15 Regulatory information This product does not require classification according to the criteria of the Commission of the European Communities (Council Directive 67/548/EEC).

15.1 UN number

15.2 National regulations

15.3 EINECS/ELINCS number

15.4 Hazard symbols

15.5 Hazard designation

15.6 Risk phrases

15.7 Safety phrases

15.8 MAK value

15.9 BVD classification (CH) F4 I Y2

15.10 VbF (D)

15.11 Further information

16 Other information No other information.

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.