

EU Safety Data Sheet

Racing Pro SAE 20W/60



Date of issue / Reference	04.11.2008	mku		
Replaces version of	30.11.2006	mku		
Date of printing	04.03.2009	Sheet No. 2144	Version 1	Page 1 of 5
	Edited		Deleted	

Company	BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Switzerland
---------	---

1 Commercial product name and supplier

- | | | |
|-----|---------------------------------------|---|
| 1.1 | Commercial product name / Designation | Racing Pro SAE 20W/60 |
| 1.2 | Application / Use | Engine Oil |
| 1.3 | Producer | BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Schweiz, T. +41 (0)62 919 7575
Auskunft zum Sicherheitsdatenblatt: msds@motorex.com
Importeur EU: MOTOREX Deutschland AG, Mathysstrasse 20, D-76133 Karlsruhe |
| | Supplier | BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901 Langenthal, Schweiz, T. +41 (0)62 919 7575 |
| 1.4 | TOX emergency number
Public | Toxicological Information Centre, CH-8028 Zurich, E-mail: info@toxi.ch, T. +41 (0)44 251 51 51 |
| 1.5 | Product No. | |

2 Hazards identification

No known hazard.

3 Composition

- | | | |
|-----|---------------------------|--|
| 3.1 | Chemical characterization | Polyalphaolefins
Additives |
| 3.2 | Hazardous components | Does not contain any dangerous substances according to the criteria of the EC (Council Directive 88/379/EEC).

Alkylated phenol
Xn: Harmful. N: Dangerous for the environment. R38: Irritating to skin. R62: Possible risk of impaired fertility. R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

ZnDTP
Xi: Irritant. N: Dangerous for the environment. R38: Irritating to skin. R41: Risk of serious damage to eyes. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

HD-Diesel motor oil additiv
Xi: Irritant. R36: Irritating to eyes. R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| 3.3 | Further information | |

4 First aid measures

EU Safety Data Sheet

Racing Pro SAE 20W/60



Date of issue / Reference	04.11.2008	mku		
Replaces version of	30.11.2006	mku		
Date of printing	04.03.2009	Sheet No. 2144	Version 1	Page 2 of 5
	Edited		Deleted	

-
- | | | |
|-----|---------------------|--|
| 4.1 | Eye contact | Consult a physician if irritation develops.
Flush with plenty of water. |
| 4.2 | Skin contact | Remove residues with soap and water.
Remove contaminated clothing immediately. |
| 4.3 | Ingestion | Consult a physician who will decide on need and method of emptying the stomach.
Do not induce vomiting. Do not take in resorption stimulating agents. |
| 4.4 | Inhalation | Take into fresh air.
If respiratory irritation is experienced, call a physician. |
| 4.5 | Further information | |

5 Fire-fighting measures

- | | | |
|-----|------------------------------|--|
| 5.1 | Suitable extinguishing media | Water fog, carbon dioxide, foam, dry chemicals. |
| 5.2 | Extinguishing media to avoid | None known. |
| 5.3 | Further information | In case of fire carbon, sulphur and phosphorus oxides can be formed. |

6 Accidental release measures

Do not wash into sewers or into any body of water.
Spills should be contained by, and covered with suitable absorbent material and removed for disposal.

7 Handling and storage

- | | | |
|-----|--------------------------------|--|
| 7.1 | Handling | Used oils (motor oils, gear oils, industrial oils) contain components causing skin cancer. Therefore, avoid skin contact by wearing protecting gloves. Carefully clean soiled parts of the skin with soap. |
| 7.2 | Industrial hygiene | Follow safety precautions for handling of mineral oils. |
| 7.3 | Storage | Follow regulations for storage of water hazarding products. |
| 7.4 | Place of storage | |
| 7.5 | Fire- and explosion-protection | Do not heat above flash point. |

8 Exposure controls / Personal protection

- | | | |
|-----|--------------------------------|-----------------------------------|
| 8.1 | Exposure controls | No specific requirements. |
| 8.2 | Exposure limit values | None established for the mixture. |
| 8.3 | Occupational exposure controls | |

EU Safety Data Sheet

Racing Pro SAE 20W/60



Date of issue / Reference	04.11.2008	mku		
Replaces version of	30.11.2006	mku		
Date of printing	04.03.2009	Sheet No. 2144	Version 1	Page 3 of 5
	Edited		Deleted	

8.3.1 Respiratory protection	None required.
8.3.2 Hand protection	Use impervious gloves when prolonged or frequently repeated contact could occur.
8.3.3 Eye protection	If contact with the product is possible, an eye protector is recommended.
8.3.4 Other	None.
8.4 Environmental exposure controls	

9 Physical and chemical properties

9.1 Appearance	liquid	
9.2 Colour	dark yellow	
9.3 Odour	characteristic	
9.4 Change of physical state		Test method:
9.5 Density	0.863 g/cm ³ (20°C)	
9.6 Vapour pressure	< 0.1 hPa (20°C)	
9.7 Viscosity	168.3 mm ² /s (40°C) 24.2 mm ² /s (100°C)	
9.8 Solubility in water	immiscible	
9.9 pH	not applicable	
9.10 Flash point	> 200 °C (1013 mbar)	DIN EN ISO 2592
9.11 Ignition temperature		
9.12 Explosion limits	Lower: Upper: not explosive	
9.13 Further information Part. coeff. n-octanol/water Evaporat. rate		

10 Stability and reactivity

10.1 Thermal decomposition	Is stable under normal storage conditions.
----------------------------	--

EU Safety Data Sheet

Racing Pro SAE 20W/60



Date of issue / Reference	04.11.2008	mku		
Replaces version of	30.11.2006	mku		
Date of printing	04.03.2009	Sheet No. 2144	Version 1	Page 4 of 5
	Edited		Deleted	

10.2 Hazardous decomposition products None under normal conditions of storage and use.

10.3 Conditions / materials to avoid No hazards known.

10.4 Further information

11 Toxicological information

11.1 Acute toxicity The estimated oral LD50 for rats is >2000 mg/kg.
No adverse effects anticipated by this route of exposure incidental to proper handling.

11.2 Subacute / Chronic toxicity

11.3 Further information

12 Ecological information

12.1 Ecotoxicity

12.2 Mobility

12.3 Persistence and degradability

12.4 Bioaccumulative potential

12.5 Further information Water Hazard Class (Germany): Class 2 (self assessment):
hazardous for water.

13 Disposal considerations

13.1 EU/CH waste key 13 02 05 non chlorinated machine, gear and lubricating oils based on mineral oil

14 Transport information

14.1 Transport at land	ADR	RID
	UN Number	Kemler Number
	Packing Group	
	Proper shipping name	
14.2 Transport at sea	ADNR	IMDG
	UN Number	
	EMS	MFAG
	Packing Group	
	Proper shipping name	
	Marine pollutant	

EU Safety Data Sheet

Racing Pro SAE 20W/60



Date of issue / Reference	04.11.2008	mku		
Replaces version of	30.11.2006	mku		
Date of printing	04.03.2009	Sheet No. 2144	Version 1	Page 5 of 5
	Edited		Deleted	

14.3	Air transport	ICAO / IATA-DGR UN Number Proper shipping name Subsidiary Risk Labels Packing Group Passenger airplane Packing Instructions max. Cargo Airplane Packing Instructions max.
14.4	Further information	Product is not classified for any mode of transportation.

15 Regulatory information This product does not require classification according to the criteria of the EC and the "Gefahrstoffverordnung".

15.1 UN number

15.2 National regulations

15.3 EINECS/ELINCS number

15.4 Hazard symbols

15.5 Hazard designation

15.6 Risk phrases

15.7 Safety phrases

15.8 MAK value

15.9 BVD classification (CH) F4 1 Y2

15.10 VbF (D)

15.11 Further information

16 Other information No other information.

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.